

NOTICE OF A SPECIAL MEETING OF COUNCIL

Dear Council Member

A Special Council Meeting of the Shire of Bridgetown-Greenbushes will be held at **5.30pm on Thursday 11 March 2021.**

The purpose of the meeting is for considering a budget amendment to allow urgent works to be carried out on the ablutions at Greenbushes Pool prior to the Easter period.

Signed by T Clynch:	
Date:	10 March 2021

Special Council Agenda Index - 11 March 2021

Subject	Page No
Acknowledgment of Country	2
Attendance, Apologies & Leave of Absence	2
Attendance of Gallery	2
Public Question Time	
Petitions/Deputations/Presentations	
Comments on Agenda Items by Parties with an Interest	
Notification of Disclosures of Interest	
Business Items	3
SpC.01/0321 Greenbushes Pool Toilets – Septic Tank and Leach	
Drain Replacement	3
Matters Behind Closed Doors	5
Closure	5
List of Attachments	

AGENDA

A Special Council Meeting of the Shire of Bridgetown-Greenbushes will be held at **5.30pm on Thursday 11 March 2021.**

The purpose of the meeting is for considering a budget amendment to allow urgent works to be carried out on the ablutions at Greenbushes Pool prior to the Easter period.

Acknowledgment of Country - Presiding Member

On behalf of the Councillors, staff and gallery, I acknowledge the Noongar People, the Traditional Custodians of the land on which we are gathered, and pay my respects to their Elders past, present and emerging.

Attendance, Apologies and Leave of Absence

President - Cr J Nicholas Councillors - J Bookless

J BoyleJ MooreJ MountfordA PraticoP QuinbyA Wilson

Officer - T Clynch, Chief Executive Officer

- E Denniss, Executive Manager Community Services

- K Dudley, Executive Assistant

Apology - B Johnson

- M Larkworthy, Executive Manager Corporate Services

- G Arlandoo, Executive Manager Development & Infrastructure

Attendance of Gallery

Public Question Time

Note: At Special Council Meetings questions must relate to the items on the Agenda.

Petitions/Deputations/Presentations

Comments on Agenda Items by Parties with an Interest

Notification of Disclosures of Interest

Section 5.65 or 5.70 of the Local Government Act requires a Member or Officer who has an interest in any matter to be discussed at a Committee/Council Meeting that will be attended by the Member or Officer must disclose the nature of the interest in a written notice given to the Chief Executive Officer before the meeting; or at the meeting before the matter is discussed.

A Member who makes a disclosure under Section 5.65 or 5.70 must not preside at the part of the meeting relating to the matter; or participate in; or be present during, any discussion or decision making procedure relating to the matter, unless allowed by the Committee/Council. If Committee/Council allow a Member to speak, the extent of the interest must also be stated.

Business Items

ITEM NO.	SpC.01/0321	FILE REF.	461
SUBJECT	Greenbushes Poo	I Toilets - Seption	Tank and Leach Drain
	Replacement		
OFFICER	Executive Manage	r Corporate Serv	vices
DATE OF REPORT	5 March 2021	_	

OFFICER RECOMMENDATION that Council

- 1. Amends its 2020/21 Budget by including an expenditure allocation of \$10,000 to Job '05BU Greenbushes Pool Toilets' for the installation of new septic tanks and leach drain at the Greenbushes Pool Reserve 22315.
- 2. Transfers an amount up to \$10,000 from the 'Building Maintenance Reserve' as funding for replacement of the existing septic tank and French drain.

Summary/Purpose

To consider an amendment to the 2020/21 Budget for installation of new septic tanks and leach drain for the ablutions at the Greenbushes Pool site.

Background

The Greenbushes Pool is located on an "A" Class reserve (No 22315), and has been vested in the Shire of Bridgetown-Greenbushes for recreational purposes since 6 March 1942. According to Council records the ablutions at Greenbushes Pool were constructed prior to 1973 with no major works recorded as being undertaken on the septic system since that time. Visits to the facility have increased in recent years by tourists and locals alike with overnight stays now permitted for up to 3 nights. Due to increased usage and age and of the system there is a need to replace the existing septic tank and French drain.

Officer Comment

The septic tank at the Greenbushes Pool has been pumped our twice in recent weeks. The cost of each pump out has ranged from \$700 - \$1,000. Investigations have now occurred regarding the state of the existing system. These investigations have identified that the existing system comprises of one baffled 1,200mm tank and an old style rock French drain. It is believed that the baffle in the tank may have collapsed allowing solids to leach into the French drain. There is a possibility that nearby tree roots have grown into the French drain causing the drain to clog and subsequently not being able to hold the capacity generated by current usage patterns.

The increased usage of this area for recreational purposes has put pressure on the existing system to the point it is now deemed not suitable. It is recommended that the existing single tank and French drain is replaced with two larger capacity tanks (1 x 1,500mm for solids and 1 x 1,200mm for liquids) and one new 17 - 24 meter leach drain. This proposal would create capacity within the replaced system to sufficiently cope with usage moving forward. The estimated cost for replacement of the existing system with the above specified system is expected to be \$7,500. A contingency of \$2,500 is also required for common 'rock clauses' attached by contractors when working around Greenbushes due to prevalent cap rock in the general area.

Should the officer recommendation to replace the existing system not be supported it is highly likely the facility will require regular pump outs of the septic tank on an ongoing basis at a cost of between \$700 - \$1,000 each time. Depending on contractor availability it is also possible the facility would need to be closed to the public until a contractor is available. Such action would negatively impact the Shire's reputation in relation to management of its facilities.

The recommended works are considered urgent with the Easter break and April school holiday period fast approaching. Quotations are currently being sourced and some indications from contractors is that the system could be installed prior to the Easter break.

Statutory Environment

Section 6.8. of the Local Government Act - Expenditure from municipal fund not included in annual budget, states:

- (1) A local government is not to incur expenditure from its municipal fund for an additional purpose except where the expenditure —
- (a) is incurred in a financial year before the adoption of the annual budget by the local government; or
- (b) is authorised in advance by resolution*; or
- (c) is authorised in advance by the mayor or president in an emergency.

(1a) In subsection (1) —

additional purpose means a purpose for which no expenditure estimate is included in the local government's annual budget.

Integrated Planning

Strategic Community Plan

Key Goal 3	Our Built Environment is Maintained, Protected and
-	Enhanced
Objective 3.2	Outdoor spaces, places and buildings fit for purpose
Strategy 3.2.1	Community spaces and buildings accommodate a wide
	range of interests and activities
Strategy 3.2.5	Provide and maintain a range of facilities that cater for the
	community's needs

- Corporate Business Plan Nil
- ➤ Long Term Financial Plan Nil
- Asset Management Plans

Data that informs Council's Property Asset Management plan and renewal requirements will be updated to reflect the replacement of the septic tank and leach drain.

- Workforce Plan Nil
- Other Integrated Planning Nil

^{*} Absolute majority required.

Policy Implications - Nil

Budget Implications

No specific allocation is included in Council's 2020/21 Budget for replacement of the existing septic tank and French drain at the Greenbushes Pool site. It is recommended the cost of replacing these items be funded by a transfer from the Building Maintenance Reserve. The current balance of the Building Maintenance Reserve is \$226,484 with no transfers from the reserve currently being identified in the 2020/21 Budget.

Whole of Life Accounting

Replacement of the existing septic system with a new system fit for purpose will reduce the requirement to pump out the system on a regular basis resulting in reduced whole of life costs associated with managing this facility.

Risk Management

Replacement of the septic system at the Greenbushes Pool will mitigate the risk to Council's reputation in the event of unforeseen facility closures.

<u>Voting Requirements</u> – Absolute Majority

<u>Matters Behind Closed Doors (Confidential Items)</u> – Nil

Closure

The President to close the Meeting.

List of Attachments – Nil

Agenda Papers checked and authorised by T Clynch, CEO	J.C.	10/03/2021